10/568467 IAP20 Rec'd PCT/TO 14 FEB 2006

X16339_US SEQUENCE LISTING

<110>	Eli Lilly and Company Heiman, Mark L. Kikly, Kristine K Manetta, Joseph V Witcher, Derrick R
<120>	Anti-Ghrelin Antibodies
<130>	x-16339_us
<150> <151>	PCT/US2004/025604 2004-09-02
<150> <151>	60/582111 2004-06-23
<160>	37
<170>	PatentIn version 3.3
<210> <211> <212> <213>	1 339 DNA Mus sp.
<220> <221> <222> <223>	misc_feature (1)(339) Polynucleotide sequence encoding 1181 light chain variable region
<400> gatgtt	1 gtga tgacccaaac tccactctcc ctgcctgtca gtcttggaga tcaagcctcc 60
atctct	tgca gatctagtca gagccttgta cacagtaatg gaaacaccta tttacattgg 120
tacctg	caga agccaggcca gtctccaaag ctcctgatct acaaagtttc caaccgattt 180
tctggg	gtcc cagacaggtt cagtggcagt ggatcaggga cagatttcac actcaagatc 240
agcaga	gtgg aggctgagga tctgggagtt tatttctgct ctcaaagtac acatgttccg 300
tacacg	ttcg gagggggac caagctggaa ataaaacgg 339
<210> <211> <212> <213>	2 339 DNA Mus sp.
<220> <221> <222> <223>	misc_feature (1)(339) Polynucleotide sequence encoding 1621 light chain variable region
<400> gatgtt	2 gtgc tgacccaaac tccactctcc ctgcctgtca gtcttggaga tcaagcctcc 60
atctct	tgca gatctagtca gagccttgta cacagtaatg gaagcaccta tttacattgg 120
tacctg	caga agccaggcca gtctccaaag ctcctgatct acaaagtttc ċaaccgattt 180
tctggg	gtcc cagacaggtt cagtggcagt ggatcaggga cagatttcac actcaagatc 240
agcaga	gtgg aggctgagga tctgggagtt tatttctgct ctcaaagtac acatgttccg 300 Page 1

tacacgttcg gaggggggac caagctggaa ataagacgg

```
<210>
<211>
        3
        113
<212>
        PRT
<213>
        Mus sp.
<220>
<221>
<222>
        MISC_FEATURE
        (1)..(113)
1181 light chain variable region amino acid sequence
<400>
Asp Val Val Met Thr Gln Thr Pro Leu Ser Leu Pro Val Ser Leu Gly 10 	 15
Asp Gln Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser 20 25 30
Asn Gly Asn Thr Tyr Leu His Trp Tyr Leu Gln Lys Pro Gly Gln Ser 35 40 45
Pro Lys Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro 50 60
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile 65 70 75 80
Ser Arg Val Glu Ala Glu Asp Leu Gly Val Tyr Phe Cys Ser Gln Ser
85 90 95
Thr His Val Pro Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys
100 105 110
Arg .
<210>
<211>
        113
<212>
<213>
        PRT
        Mus sp.
<220>
<221>
<222>
        MISC_FEATURE
        (1)..(113)
1621 light chain variable region amino acid sequence
<400>
Asp Val Val Leu Thr Gln Thr Pro Leu Ser Leu Pro Val Ser Leu Gly 1 	 10 	 15
```

Asp Gln Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser 20 25 30

Page 2

Asn Gly Ser Thr Tyr Leu His Trp Tyr Leu Gln Lys Pro Gly Gln Ser Pro Lys Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro 50 55 60 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile 70 75 80 Ser Arg Val Glu Ala Glu Asp Leu Gly Val Tyr Phe Cys Ser Gln Ser 85 90 95 Thr His Val Pro Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys 100 105 110 Arg <210> <211> 16 <212> PRT <213> Mus sp. <220> MISC_FEATURE <221> (1)..(16) 1181 light chain CDR1 amino acid sequence <222> <223> <400> Arg Ser Ser Gln Ser Leu Val His Ser Asn Gly Asn Thr Tyr Leu His $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$ <210> <211> <212> 6 16 PRT <213> Mus sp. <220> <221>. MISC_FEATURE <222> <223> (1)..(16) 1621 light chain CDR1 amino acid sequence <400> Arg Ser Ser Gln Ser Leu Val His Ser Asn Gly Ser Thr Tyr Leu His 10 <210> <211> 16 <212> PRT <213> Mus sp. <220> <221> MISC_FEATURE

```
X16339_US
<222>
       (1)..(16)
       Light chain (generic for 1181 and 1621) CDR1 amino acid sequence
<220>
<221>
<222>
       MISC_FEATURE
       (12): (12)
       Xaa is selected from the group consisting of Gly (G), Ala (A),
       Ser (S), Thr (T), Cys (C), Asn (N) and Gin (Q)
<400>
Arg Ser Ser Gln Ser Leu Val His Ser Asn Gly Xaa Thr Tyr Leu His
<210>
<211>
<212>
       PRT
<213>
       Mus sp.
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(7)
<223>
       1181 and 1621 light chain CDR2 amino acid sequence
<400>
Lys Val Ser Asn Arg Phe Ser
<210>
       9
<211>
<212>
       PRT
<213>
       Mus sp.
<220>
<221>
       MISC_FEATURE
<222>
       (1)..(9)
       1181 and 1621 light chain CDR3 amino acid sequence
<400>
Ser Gln Ser Thr His Val Pro Tyr Thr
<210>
       10
       357
<211>
<212>
       DNA
<213>
       Mus sp.
<220>
<221>
       misc_feature
<222>
       (1)..(357)
<223>
       Polynucleotide sequence encoding 1181 heavy chain variable region
<400>
caggtccagc tgcagcagtc tggggcagag cttgtgaggt caggggcctc agtcaagttg
                                                                         60
tcctgcacag cttctggctt caacattaaa gactacttta tgcagtgggt gaagcagagg
                                                                        120
                                                                        180
cctgaacagg gcctggagtg gattggatgg attgatcctg agaatggtga aactggatat
```

gccccgaagt tccagggcaa ggccactatg actgcagaca cagcctccaa tacagcctac

240

ctgcaactca gcagcctgac atctgaggac actgccctgt attactgtaa tgcaccttcg 30	0
gtcgtggcta aatacttcga tgtctggggc gcagggacca cggtcaccgt ctcctca 35	7
<210> 11 <211> 357 <212> DNA <213> Mus sp.	
<220> <221> misc_feature <222> (1)(357) <223> Polynucleotide sequence encoding 1621 heavy chain variable region	n
<400> 11	
caggtccagc tgcagcagtc tggggcagag cttgtgaggt caggggcctc agtcaagttg 6	0
tcctgcacag cttctggctt caacattaaa gactactttg tgcagtgggt gaagcagagg 12	0
cctgaacagg gcctggagtg gattggatgg attgatcctg agaatggtga aactggatat 18	0
gccccgaagt tccagggcaa ggccactatg actgcagaca cagcctccaa tacagcctac 24	0
ctgcaactca gcagcctgac atctgaggac actgccctgt atttctgtaa tgcaccttcg 30	0
gtagtggcta aatacttcga tgtctggggc gcagggacca cggtcaccgt ctcctca 35	7
<210> 12 <211> 119 <212> PRT <213> Mus sp.	
<220> <221> MISC_FEATURE <222> (1)(119) <223> 1181 heavy chain amino acid sequence	
<400> 12	
Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Leu Val Arg Ser Gly Ala 1 15	
Ser Val Lys Leu Ser Cys Thr Ala Ser Gly Phe Asn Ile Lys Asp Tyr 20 25 30	
Phe Met Gln Trp Val Lys Gln Arg Pro Glu Gln Gly Leu Glu Trp Ile 35 40 . 45	
Gly Trp Ile Asp Pro Glu Asn Gly Glu Thr Gly Tyr Ala Pro Lys Phe 50 55 60	
Gln Gly Lys Ala Thr Met Thr Ala Asp Thr Ala Ser Asn Thr Ala Tyr 65 70 . 75 80	
Leu Gln Leu Ser Ser Leu Thr Ser Glu Asp Thr Ala Leu Tyr Tyr Cys 85 90 95	

```
Asn Ala Pro Ser Val Val Ala Lys Tyr Phe Asp Val Trp Gly Ala Gly
                                    105
Thr Thr Val Thr Val Ser Ser
         115
<210>
<211>
<212>
        118
        PRT
<213>
        Mus sp.
<220>
<221>
<222>
        MISC_FEATURE
        (1)..(118)
        1621 heavy chain amino acid sequence
<400>
Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Leu Val Arg Ser Gly Ala
1 10 15
Ser Val Lys Leu Ser Cys Thr Ala Ser Gly Phe Asn Ile Lys Asp Tyr 20 25 30
Phe Val Gln Trp Val Lys Gln Arg Pro Glu Gln Gly Leu Glu Trp Gly
Trp Ile Asp Pro Glu Asn Gly Glu Thr Gly Tyr Ala Pro Lys Phe Gln 50 55 60
Gly Lys Ala Thr Met Thr Ala Asp Thr Ala Ser Asn Thr Ala Tyr Leu
65 70 75 80
Gln Leu Ser Ser Leu Thr Ser Glu Asp Thr Ala Leu Tyr Phe Cys Asn
85 90 95
Ala Pro Ser Val Val Ala Lys Tyr Phe Asp Val Trp Gly Ala Gly Thr
Thr Val Thr Val Ser Ser
         115
<210>
        14
<211>
        10
<212>
        PRT
<213>
        Mus sp.
<220>
<221>
<222>
<223>
        MISC_FEATURE
        (1)..(10)
        1181 heavy chain CDR1 amino acid sequence
<400>
        14
Gly Phe Asn Ile Lys Asp Tyr Phe Met Gln 1 10
```

Page 6

```
<210>
       15
<211>
       10
<212>
       PRT
<213>
       Mus sp.
<220>
<221>
<222>
       MISC_FEATURE
        (1)..(10)
<223>
       1621 heavy chain CDR1 amino acid sequence
<400>
Gly Phe Asn Ile Lys Asp Tyr Phe Val Gln 1 5 10
<210>
        16
<211>
       10
<212>
       PRT
<213>
       Mus sp.
<220>
<221>
<222>
       MISC_FEATURE
        (1)..(10)
        Heavy chain CDR1 amino acid sequence (generic for 1181 and 1621)
<220>
<221>
<222>
        MISC_FEATURE
        (9)..(9)
        Xaa is a hydrophobic amino acid selected from the group
<223>
        consisting of Val (V), Leu (L), Ile (I), Met (M), and Pro (P)
<400>
Gly Phe Asn Ile Lys Asp Tyr Phe Xaa Gln 1 10
<210>
        17
<211>
<212>
        17
        PRT
<213>
       Mus sp.
<220>
<221>
<222>
        MISC_FEATURE
        (1)..(17)
<223>
        1181 and 1621 heavy chain CDR2 amino acid sequence
<400>
Trp Ile Asp Pro Glu Asn Gly Glu Thr Gly Tyr Ala Pro Lys Phe Gln
Gly
<210>
        18
<211>
        10
<212>
        PRT
<213>
        Mus sp.
```

```
<220>
<221>
        MISC_FEATURE
<222>
        (1)..(10)
<223>
        1181 and 1621 heavy chain CDR3 amino acid sequence
<400>
Pro Ser Val Val Ala Lys Tyr Phe Asp Val 1 5 10
<210>
        19
<211>
        28
<212>
        PRT
<213>
       Homo sapiens
<220>
<221>
        MISC_FEATURE
<222>
        (1)..(28)
<223>
        Human ghrelin amino acid sequence
<220>
<221>
<222>
<223>
        MISC_FEATURE
        (28) . . (28)
        Xaa is Arg or absent
<400>
        19
Gly Ser Ser Phe Leu Ser Pro Glu His Gln Arg Val Gln Gln Arg Lys
                                         10
Glu Ser Lys Lys Pro Pro Ala Lys Leu Gln Pro Xaa 20 25
<210>
<211>
        20
        16
<212>
        PRT
<213>
       Mus sp.
<220>
<221>
        MISC_FEATURE
        (1)..(16)
4641 light chain CDR1 amino acid sequence
<222>
<223>
<400>
Arg Ser Ser Gln Ser Leu Val His Ser Asp Gly Asn Thr Tyr Leu Asp
10
15
       21
9
<210>
<211>
<212>
        PRT
<213>
       Mus sp.
<220>
<221>
        MISC_FEATURE
<222>
        (1)..(9)
4641 light chain CDR3 amino acid sequence
<223>
<400>
        21
```

```
x16339_us
Ser Gln Ser Thr Tyr Val Ser Tyr Thr
1 5
<210>
         22
<211>
<212>
         16
         PRT
<213>
        Mus sp.
<220>
<221>
<222>
         MISC_FEATURE
         (1)..(16)
1451 light chain CDR1 amino acid sequence
<223>
<400>
         22
Arg Ser Ser Gln Ser Leu Val His Ser Asn Gly Asn Thr Tyr Leu His 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
<210>
         23
<211>
<212>
        PRT
<213> Mus sp.
<220>
        MISC_FEATURE (1)..(9)
1451 light chain CDR3 amino acid sequence
<221>
<222>
<400>
Ser Gln Ser Thr Leu Val Pro Tyr Thr \mathbf{5}
<210> 24
<211> 10
<212> PRT
<213>
       Mus sp.
<220>
<221>
         MISC_FEATURE
<222>
         (1)..(10)
         4641 and 1451 heavy chain CDR1 amino acid sequence
<223>
<400>
Ala Tyr Thr Phe Thr Thr Tyr Trp Met His 1 	 5 	 10
<210>
<211>
<212>
         25
17
         PRT
<213>
         Mus sp.
<220>
<221>
<222>
         MISC_FEATURE
         (1)...(17)
<223>
         4641 heavy chain CDR2 amino acid sequence
<400>
         25
```

....

```
x16339_us
Met Ile Asp Pro Ser Asn Ser Asp Thr Trp Leu Asn Gln Lys Phe Lys
Asp
<210>
        26
<211> 17
<212> PRT
<213>
       Mus sp.
<220>
<221>
<222>
        MISC_FEATURE
        (1)..(17)
<223>
        1451 heavy chain CDR2 amino acid sequence
<400>
        26
Met Ile Asp Pro Tyr Asn Ser Glu Thr Trp Leu Asn Gln Lys Phe Lys
                                           10
Asp
<210>
        27
<211> 5
<212> PI
        PRT
<213>
        Mus sp.
<220>
<221>
<222>
        MISC_FEATURE
        (1)..(5)
<223>
        4641 and 1451 heavy chain CDR3 amino acid sequence
<400>
        27
Thr Gly Phe Asp Tyr
<210>
        28
<211>
<212>
        16
        PRT
<213>
        Mus sp.
<220>
<221>
<222>
        MISC_FEATURE
        (1)...(16)
<223>
        Light chain (generic for 4641, 1451, 1181, and 1621) CDR1 amino
        acid sequence
<220>
<221>
<222>
<223>
        MISC_FEATURE
        (10)..(10)
        Xaa is selected from the group consisting of Asn (N) and Asp (D)
<220>
<221>
<222>
        MISC_FEATURE
        (12)..(12)

Xaa is selected from the group consisting of Gly (G), Ala (A), Ser (S), Thr T), Cys (C), Asn (N) and Gln (Q)
<223>
                                             Page 10
```

X16339_US

```
<220>
<221>
       MISC_FEATURE
<222>
        (16) \dots (16)
        Xaa is selected from the group consisting of His (H) and Asp (D)
<223>
<400>
        28
Arg Ser Ser Gln Ser Leu Val His Ser Xaa Gly Xaa Thr Tyr Leu Xaa 10 	 15
<210>
<211>
        29
        9
<212>
        PRT
<213>
       Mus sp.
<220>
<221>
        MISC_FEATURE
<222>
        (1)..(9)
        Light chain (generic for 4641, 1451, 1181 and 1621) CDR3 amino
<223>
        acid sequence
<220>
<221>
<222>
        MISC_FEATURE
       (5)..(5)

Xaa is selected from the group consisting of His (H), Tyr (Y),
<223>
        and Leu (L)
<220>
<221>
        MISC_FEATURE
<222>
<223>
        Xaa is selected from the group consisting of Pro (P), Ser (S),
        and Thr (T)
<400>
Ser Gln Ser Thr Xaa Val Xaa Tyr Thr
1 5
<210>
        30
<211><212>
        113
        PRT
<213>
        Mus sp.
<220>
<221>
<222>
        MISC_FEATURE
        (1)..(113)
4641 light chain variable region amino acid sequence
<223>
<400>
Asp Val Val Met Thr Gln Thr Pro Leu Ser Leu Pro Val Ser Leu Gly
Asp Gln Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser
20 25 30
Asp Gly Asn Thr Tyr Leu His Trp Tyr Leu Gln Lys Pro Gly Gln Ser 35 40 45
Pro Lys Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro
```

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile 65 70 75 80

Ser Arg Val Glu Ala Glu Asp Leu Gly Val Tyr Phe Cys Ser Gln Ser 85 90 95

Thr Tyr Val Ser Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys 100 105 110

Arg

<210> 31

<211> 113

PRT Mus sp.

<220> <221> <222> MISC_FEATURE

1451 light chain variable region amino acid sequence

<400>

Asp Val Val Leu Thr Gln Thr Pro Leu Ser Leu Pro Val Ser Leu Gly
10 15

Asp Gln Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser 20 25 30

Asn Gly Asn Thr Tyr Leu His Trp Tyr Leu Gln Lys Pro Gly Gln Ser 35 40 45

Pro Lys Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro 50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile 65 70 75 80

Ser Arg Val Glu Ala Glu Asp Leu Gly Val Tyr Phe Cys Ser Gln Ser 85 90 95

Thr His Val Pro Tyr Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys 100 105 110

Arg

<210> 32

114

PRT Mus sp.

```
<220> -
       MISC_FEATURE
        (1)..(114)
        4641 heavy chain variable region amino acid sequence
<400>
Gln Val Gln Leu Gln Gln Ser Arg Pro Glu Leu Val Arg Pro Gly Ala
1 10 15
Ser Val Lys Met Ser Cys Arg Ala Ser Ala Tyr Thr Phe Thr Tyr 20 25 30
Trp Met His Trp Val Arg Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile
35 40 45
Gly Met Ile Asp Pro Ser Asn Ser Asp Thr Trp Leu Asn Gln Lys Phe 50 60
Lys Asp Lys Ala Thr Leu Asn Val Asp Arg Ser Ser Asn Thr Ala Tyr 65 70 75 80
Met Gln Leu Thr Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys
85 90 95
Ala Arg Thr Gly Phe Asp Tyr Trp Gly Gln Gly Thr Thr Leu Thr Val
ser ser
<210>
        33
<211>
        114
<212>
        PRT
<213>
        Mus sp.
<220>
<221>
<222>
        MISC_FEATURE
        (1)...(114)
        1451 heavy chain variable region amino acid sequence
<400>
Gln Val His Val Lys Gln Ser Gly Pro Glu Leu Val Arg Pro Gly Ala
5 10 15
Ser Val Lys Met Ser Cys Lys Ala Ser Ala Tyr Thr Phe Thr Tyr 20 25 30
Trp Met His Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile
35 40 45
Gly Met Ile Asp Pro Tyr Asn Ser Glu Thr Trp Leu Asn Gln Lys Phe 50 60
                                         Page 13
```

Lys Asp Lys Ala Thr Leu Asn Val Asp Arg Ser Ser Asn Thr Ala Tyr 65 70 75 80

Met Lys Leu Ser Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys 85 90 95	
Ala Arg Thr Gly Phe Asp Tyr Trp Gly Gln Gly Thr Thr Leu Thr Val	
Ser Ser	
<210> 34 <211> 378 <212> DNA <213> Mus sp.	
<220> <221> misc_feature <222> (1)(378) <223> 1451 LCVR polynucleotide	
<400> 34 tctactccag cttgggcaga tgttgtgctg acccaaactc cactctccct gcctgtcagt	60
cttggagatc aagcctccat ctcttgcaga tctagtcaga gccttgtaca cagtaatgga	120
aacacctatt tacattggta cctgcagaag ccaggccagt ctccaaagct cctgatctac	180
aaagtttcca accgattttc tggggtccca gacaggttca gtggcagtgg atcagggaca	240
gatttcacac tcaagatcag cagagtggag gctgaggatc tgggagttta tttctgctct	300
caaagtacac atgttccgta cacgttcggt ggaggcacca agctggaaat caaacgggct	360
gatgcttcac caactgta	378
<210> 35 <211> 360 <212> DNA <213> Mus sp.	
<220> <221> misc_feature <222> (1)(360) <223> 1451 HCVR polynucleotide	
<400> 35 caggtccacg tgaagcagtc tgggcctgaa ctggtgaggc ctgggggcttc agtgaagatg	60
tcctgcaagg cttcagccta taccttcacc acctactgga tgcactgggt gaaacagagg	120
cctggacaag gccttgagtg gattggcatg attgatcctt acaatagtga aacttggtta	180
aatcagaaat tcaaggacaa ggccacattg aatgtagaca gatcctccaa cacagcctac	240
atgaagctca gcagcctgac atctgaggac tctgcagtct attactgtgc aagaactggt	300
tttgactact ggggccaagg caccactctc acagtctcct cagccaaaac gacacccca	360

Page 14

<210> 36 <211> 378 <212> DNA <213> Mus sp.	
<220> <221> misc_feature <222> (1)(378) <223> 4641 LCVR polynucleotide	
<400> 36 tctactccag cttgggcaga tgttgtgatg acccaaactc cactctccct gcctgtcagt 6	50
cttggagatc aagcctccat ctcttgcaga tctagtcaga gccttgtaca cagtgatgga 12	
aacacctatt tacattggta cctgcagaag ccaggccagt ctccaaagct cctgatctac 18	30
aaagtttcca accgattttc tggggtccca gacaggttca gtggcagtgg atcagggaca 24	10
gatttcacac tcaagatcag cagagtggag gctgaggatc tgggagttta tttctgctct 30)0
caaagtacat atgtttcgta cacgttcgga ggggggacca agctggaaat aaaacgggct 36	60
gatgctgcac caactgta 37	78
<210> 37 <211> 360 <212> DNA <213> Mus sp.	
<211> 360 <212> DNA	
<pre><211> 360 <212> DNA <213> Mus sp. <220> <221> misc_feature <222> (1)(360) <223> 4641 HCVR polynucleotide <400> 37</pre>	50
<pre><211> 360 <212> DNA <213> Mus sp. <220> <221> misc_feature <222> (1)(360) <223> 4641 HCVR polynucleotide <400> 37 caggtccagc tgcagcagtc tcggcctgaa ctggtgaggc ctggggcttc agtgaagatg</pre>	50 20
<pre><211> 360 <212> DNA <213> Mus sp. <220> <221> misc_feature <222> (1)(360) <223> 4641 HCVR polynucleotide <400> 37 caggtccagc tgcagcagtc tcggcctgaa ctggtgaggc ctggggcttc agtgaagatg tcctgcaggg cttcagccta taccttcacc acctactgga tgcactgggt gagacagagg</pre> 12	
<pre><211> 360 <212> DNA <213> Mus sp. <220> <221> misc_feature <222> (1)(360) <223> 4641 HCVR polynucleotide <400> 37 caggtccagc tgcagcagtc tcggcctgaa ctggtgaggc ctggggcttc agtgaagatg tcctgcaggg cttcagccta taccttcacc acctactgga tgcactgggt gagacagagg 12 cctggacaag gccttgagtg gattggcatg attgatcctt ccaatagtga tacttggtta 18</pre>	20
<pre><211> 360 <212> DNA <213> Mus sp. </pre> <pre><220> <221> misc_feature <222> (1)(360) <223> 4641 HCVR polynucleotide <400> 37 caggtccagc tgcagcagtc tcggcctgaa ctggtgaggc ctggggcttc agtgaagatg tcctgcaggg cttcagccta taccttcacc acctactgga tgcactgggt gagacagagg cctggacaag gccttgagtg gattggcatg attgatcctt ccaatagtga tacttggtta aatcagaagt tcaaggacaa ggccacattg aatgtagaca gatcctccaa cacagcctac 24</pre>	20 30